

Sankosha – For Efficiency

Fast and Easy Garment Bagging



PM-460
Semi-automatic
Bagging Machine

Photo: PM460J

- **Fast Bagging Capacity**
Remarkable 490 garments per hour
- **Semi-automatic Bagging**
Ease of operation for anyone.
- **Manual Pull Through Operation**
For bagging extra-long garments..
- **Space-saving installation**
Footprint of about 80cm x 80cm.
- **Anti-static Electricity Function**
- **Simple Setting of Poly Film**

<http://www.sankosha-mfg.com>

Visit our web site for valuable Information
for your business expansion.



SANKOSHA MANUFACTURING CO., LTD.
988 Kanoya, Hachioji, Tokyo 193-0815, Japan
Tel: +81 42 621 1182 Fax: +81 42 620 0751

PM-460 Valued Features

Seal time can be adjusted by ambient temperature and material of poly film.

Operator surely check the final finishing status

Bagging length will be detected automatically.

Small footprint for installation anywhere



Control panel for ease of operation

Manual mode for extra-long garments like wedding dress.



Photo: PM460J

Highest Quality Safety Ratings

Product Specifications

Model	PM-460E
Capability	490 baggings / hour
Power Consumption	Three-phase 400V 50Hz 1.4kW/h
Air Consumption	4.4 litter / cycle
Air Pressure	0.6 Mpa
Air Pipe Diameter	3/8 B
Weight	210kgs
Dimintions	W 760 x D 803 x H 1900(mm)

*This number is based on our own internal examination. This may vary depending on the actual environment (machine location, electricity maintenance, garment type and size, operator's skill etc.)

Film Use Condition

Shape	Tube Film
Material	PE, PP, LL, HDPE
Film Thickness	10 – 18µm
Film Width	600 (+5) mm
Length / Diameter	1,000m (max.) / ϕ350mm
Tube Inner Diameter	ϕ80mm+
Film Type	Gusset or plain

- Continuous film is required for this automatic bagging machine.
- In cooler temperature, the film needs to be stored in a warm enviroment